



Wartski

ESTABLISHED 1865



RING SIZE FINDER

Print out this PDF in 100% size.

Note! You must make sure not to select "Shrink oversized pages to fit paper size" or "Expand small pages to paper size" in the print dialogue.



14.4 mm



15 mm



15.8 mm



16.5 mm



17.3 mm



18.2 mm




19.1 mm



20 mm



20.8 mm



21.5 mm



22.3 mm

Place rings that fit you or your fiancée over the circle, making sure the inside of the ring lines up with the outside of the circle.

Sizes show are British system with the numerical US size below.

If you are between sizes, you can choose them on the website or See the conversion chart on the reverse.

To check that the print-out is in the correct size take a credit card and place it over this box. The card must perfectly within this box, the outline still showing.

Tips:

Measure your finger in a warm environment, preferably at the end of the day.

If the ring is meant to be a surprise ask your fiancée's mother or a friend if they know her/his ring-size. Alternatively borrow one of your fiancée's rings and use this form. Make sure the ring fits the right finger

When considering a wide band, one size up will be more comfortable.

Wartski Ltd. 14 Grafton Street, London W1S 4DE United Kingdom

Open weekdays 9.30am to 5pm

Telephone +44 (0)20 7493 1141

Fax: +44 (0) 20 7493 1141

wartski@wartski.com

www.wartski.com

INTERNATIONAL RING SIZE CONVERSION CHART

Inside Diameter		Inside Circumference		Sizes						
MM	Inches	MM	Inches	British & Australian	US & Canada	French & Russian	German	Japanese	Swiss	
11.95	0.474	37.54	1.49	A	1/2	-	-	-	-	
12.18	0.482	38.26	1.51	A 1/2	3/4	-	-	-	-	
12.37	0.487	38.86	1.53	B	1	-	-	1	-	
12.60	0.496	39.58	1.56	B 1/2	1 1/4	-	-	-	-	
12.78	0.503	40.15	1.58	C	1 1/2	-	-	-	-	
13.00	0.512	40.84	1.61	C 1/2	1 3/4	-	-	-	-	
13.21	0.520	41.50	1.63	D	2	41 1/2	13 1/2	2	1 1/2	
13.41	0.528	42.13	1.66	D 1/2	2 1/4	-	-	-	-	
13.61	0.536	42.76	1.68	E	2 1/2	42 3/4	13 3/4	3	2 3/4	
13.83	0.544	43.45	1.71	E 1/2	2 3/4	-	-	-	-	
14.05	0.553	44.14	1.74	F	3	44	14	4	4	
14.15	0.557	44.45	1.75	F 1/2	3 1/8	-	-	-	-	
14.25	0.561	44.77	1.76	F 3/4	3 1/4	-	-	-	-	
14.36	0.565	45.11	1.77	G	3 3/8	45 1/4	-	5	5 1/4	
14.45	0.569	45.40	1.79	G 1/4	3 1/2	-	14 1/2	-	-	
14.56	0.573	45.74	1.80	G 1/2	3 5/8	-	-	6	-	
14.65	0.577	46.02	1.81	H	3 3/4	46 1/2	-	-	6 1/2	
14.86	0.585	46.68	1.84	H 1/2	4	-	15	7	-	
15.04	0.592	47.25	1.86	I	4 1/4	47 3/4	-	-	7 3/4	
15.27	0.601	47.97	1.89	I 1/2	4 1/2	-	15 1/4	8	-	
15.40	0.606	48.38	1.90	J	4 5/8	49	15 1/2	-	9	
15.53	0.611	48.79	1.92	J 1/4	4 3/4	-	-	-	-	
15.70	0.618	49.32	1.94	J 1/2	5	-	15 3/4	9	-	
15.80	0.622	49.64	1.95	K	5 1/8	50	-	-	10	
15.90	0.626	49.95	1.97	K 1/4	5 1/4	-	-	-	-	
16.00	0.630	50.27	1.98	K 1/2	5 3/8	-	-	10	-	
16.10	0.634	50.58	1.99	L	5 1/2	51 3/4	16	-	11 3/4	
16.30	0.642	51.21	2.02	L 1/4	5 3/4	-	-	-	-	
16.41	0.646	51.55	2.03	L 1/2	5 7/8	-	-	-	-	
16.51	0.650	51.87	2.04	M	6	52 3/4	16 1/2	12	12 3/4	
16.71	0.658	52.50	2.07	M 1/2	6 1/4	-	-	-	-	
16.92	0.666	53.16	2.09	N	6 1/2	54	17	13	14	
17.13	0.674	53.82	2.12	N 1/2	6 3/4	-	-	-	-	
17.35	0.683	54.51	2.15	O	7	55 1/4	17 1/4	14	15 1/4	
17.45	0.687	54.82	2.16	O 1/2	7 1/4	-	-	-	-	
17.75	0.699	55.76	2.20	P	7 1/2	56 1/2	17 3/4	15	16 1/2	
17.97	0.707	56.45	2.22	P 1/2	7 3/4	-	-	-	-	
18.19	0.716	57.15	2.25	Q	8	57 3/4	18	16	17 3/4	
18.35	0.722	57.65	2.27	Q 1/2	8 1/4	-	-	-	-	
18.53	0.729	58.21	2.29	Q 3/4	8 1/2	-	18 1/2	17	-	
18.61	0.733	58.47	2.30	R	8 5/8	59	-	-	19	
18.69	0.736	58.72	2.31	R 1/4	8 3/4	-	-	-	-	
18.80	0.740	59.06	2.32	R 1/2	8 7/8	-	-	-	-	
18.89	0.748	59.34	2.35	R 3/4	9	-	19	18	-	
19.10	0.752	60.00	2.36	S	9 1/8	60 1/4	-	-	20 1/4	
19.22	0.757	60.38	2.38	S 1/4	9 1/4	-	-	-	-	
19.31	0.760	60.66	2.39	S 1/2	9 3/8	-	-	-	-	
19.41	0.764	60.98	2.40	S 3/4	9 1/2	-	19 1/2	19	-	
19.51	0.768	61.29	2.41	T	9 5/8	61 1/2	-	-	21 1/2	
19.62	0.772	61.64	2.43	T 1/4	9 3/4	-	-	-	-	
19.84	0.781	62.33	2.45	T 1/2	10	-	20	20	-	
20.02	0.788	62.89	2.48	U	10 1/4	62 3/4	-	21	22 3/4	
20.20	0.797	63.46	2.50	U 1/2	10 1/2	-	20 1/4	22	-	
20.32	0.800	63.84	2.51	V	10 5/8	63	-	-	23 3/4	
20.44	0.805	64.21	2.53	V 1/4	10 3/4	-	-	-	-	
20.68	0.814	64.97	2.56	V 1/2	11	-	20 3/4	23	-	
20.76	0.817	65.22	2.57	W	11 1/8	65	-	-	25	
20.85	0.821	65.50	2.58	W 1/4	11 1/4	-	-	-	-	
20.94	0.824	65.78	2.59	W 1/2	11 3/8	-	-	-	-	
21.08	0.830	66.22	2.61	W 3/4	11 1/2	-	21	24	-	
21.18	0.834	66.54	2.62	X	11 5/8	66 1/4	-	-	26 1/4	
21.24	0.836	66.73	2.63	X 1/4	11 3/4	-	-	-	-	
21.30	0.839	66.92	2.64	X 1/2	11 7/8	-	-	-	-	
21.49	0.846	67.51	2.66	Y	12	67 1/2	21 1/4	25	27 1/2	
21.69	0.854	68.14	2.68	Y 1/2	12 1/4	-	-	-	-	
21.89	0.862	68.77	2.71	Z	12 1/2	68 3/4	21 3/4	26	28 3/4	
22.10	0.870	69.43	2.73	Z +1/2	12 3/4	-	-	-	-	
22.33	0.879	70.15	2.76	Z+1	13	-	22	27	-	